

SEA SERIES

SEA TO SUMMIT



SEA SERENITY ENDLESS POSSIBILITIES

SUMMIT PRECISION WHERE EXCELLENCE MEETS MACHINERY

SEA SERIES

Navigating Diversity, Satisfying Every Need.

Just as the sea hold boundless resources and endless possibilities,
Our sea series fuel dispensers offer a variety of types,
Catering to clients worldwide with satisfaction as vast as the ocean.

**JAPAN STANDARD
JAPAN QUALITY**



JAPAN STANDARD JAPAN QUALITY

SEA SERIES

Simply Reliable, Globally Popular.

Crafted with precision using japan-standard components, this dispenser embodies simplicity with unmatched reliability. Tailored to meet diverse client needs, it strikes the perfect balance between excellent performance and economic efficiency.



Its compact, slim design effortlessly fits into various pump station spaces, ensuring reliability and convenience worldwide.



COMPACT DESIGN RELIABLE PARTNERSHIP



Unleashing Dependability in Every Dimension



Keypad Operating Area

Experience Ease in Every Touch


The Sea Series Keypad Operating Area, thoughtfully designed with an ergonomic angle, ensures a user-friendly interface, making machine operation effortlessly intuitive for your clients.



Diversified functions


Empower Your Choice

Tailored Functions for Your Needs. With options like the JEJ IC card system, printer, and more, our Sea Series puts control in your hands. Enhance site security, reduce drive-offs, and boost profits by customizing your retailing options with precision.



Calculator

The upgraded 8-digit readout with long-lasting, high-visibility bright LED backlight, can tackle with any currency in the world. It makes you and your customers getting the calculation effortlessly.



List Of Products

| Model Suction | List of Functions/Models | | |
|----------------------------------|--------------------------|------------------|------------------|
| | SETA111 | SETA2121A | SETA2221A |
| Appearance | | | |
| Fueling system diagram | | | |
| Dimensions | 1100W*2000H*530D | 1100W*2000H*530D | 1100W*2000H*530D |
| Fiber glass display panel | ● | ● | ● |
| Moniter | ▲ | ▲ | ▲ |
| Pos preset | ▲ | ▲ | ▲ |
| Keypad with display | ● | ● | ● |
| Hose 13ft (Hard) | ● | ● | ● |
| Hose hanger | ▲ | ▲ | ▲ |
| Nozzle | Auto-stop nozzle | ● | ● |
| | High speed nozzle | ▲ | ▲ |
| | Ultra-high speed | ▲ | ▲ |
| Nozzle holder | Al | ● | ● |
| | Plastic | ▲ | ▲ |
| Swivel | ▲ | ▲ | ▲ |
| Safety breakaway coupling | ● | ● | ● |
| Safety breakaway coupling cover | ▲ | ▲ | ▲ |
| Sight glass | ▲ | ▲ | ▲ |
| Emergency-stop button | ● | ● | ● |
| Static electricity discharge pad | ▲ | ▲ | ▲ |
| Bulit-in printer | ▲ | ▲ | ▲ |
| LED poster | ▲ | ▲ | ▲ |
| JEJ IC card system | ▲ | ▲ | ▲ |

Main Specification

| | Suction Pump Type | Submersible Turbine Pump (STP)Type |
|--------------------------|--|--|
| Flow Rate | Normal:50L/min High:70L/min Ultra-high:90L/min ※Delivery speed is fluctuate by installed components | ※Depends on the on-site STP capacity |
| Pump | Internal silent gear pump with air separator Suction strainer, Flexible pipe By-pass valve and Suction check value | |
| Flexible Pipe | Flange type, 1-1/2" threaded | |
| Maunal Drive Handle | Provided for maunal operation during power failure | |
| Motor | Three-phase 380V 750W (Optional) Single-phase 220-240V 750W | |
| Meter | 4-piston positive displacement flowmeter with electronic adjuster | |
| Accuracy | ±0.3% | |
| Counter | Type | LCD |
| | Character Color | Black characters on a blue field with bright LED back light (Optional) White/Yellow/Orange back light |
| | Display | Sale: 8 digits[0.01~999,999.99] |
| | | Liter: 8 digits[0.01~999,999.99] Unit Price: 5 digits[0.01~999.99] |
| | Machinery Totalizer | 7 digits |
| Electronic Totalizer | (Optional) 8 digits | |
| Other Funtions | Battery back-up | |
| | (Optional) Self-diagnosis (Optional) Over voltage protector | |
| Reset Device | Automatic reset | |
| Nozzle | Automatic nozzle, Spout outside diameter 21mm, 25mm (Optional) Red/Yellow/Green/Black/Blue color nozzle | |
| Hose | Black color hose, Oil resistance type, Inside diameter 16mm (Optional) Red/Yellow/Green color hose | |
| Safty Breakaway Coupling | (Optional) | |
| Wiring | (Optional) Cabtyre cable | |
| Emergency Stop Switch | Provided | |
| POS Interface | (Optional) | |
| Line Fuel Filter | (Optional) | |
| Anti Static Touch Pad | (Optional) | |
| Sight Glass | (Optional) | |
| Receipt Printer | (Optional) | |
| AD Display | (Optional) | |
| LED Message Board | (Optional) | |
| Ambient Temperature | -40 to+ 60°C | |
| Noise | ≤80dB (A) | |
| Inlet Vacuum | ≥0.06MPa | |

Powering Progress

Unveiling the JAPAN ENERJUMP Fuel Dispenser Range.



Sea Series

JEJ's simple type fuel dispenser with one or two hoses, single-product system. Allows you to dispense one grade of fuel up to high speeds.



Mount Series

JEJ's new design type fuel dispenser, multiproduct dispenser with 'Mountain Sharp' design and a complete range of payment and upgrade options.



Bright Series

JEJ's simple basic type fuel dispenser with excellent cost performance, meet the basic needs of customers.



Power Series

JEJ's leading multiproduct dispenser with smart operation interface. Provides good service for both gas stations and drivers.



Landman Series

JEJ's basic type fuel dispenser has a range of models suitable for a variety of Gas Station, from full service to self service.



Windy Series


JEJ's biggest design type fuel dispenser, multiproduct dispenser with 'Longer Hose' design and a big display. Choose from a complete suite of payment and upgrade options.

Empowering Your Business

Packed with Reliable and Efficient Components, Our Dispensers Bring Powerful Benefits.



We Deliver '**JAPAN Quality JAPAN Standard**'
Ensuring Excellence in Every Product



JAPAN ENERJUMP

JAPAN ENERJUMP Co., Ltd.

2-14-12 KW build.4F,Nihonbashi-kakigaracho,Chuo-ku,Tokyo 103-0014 JAPAN

TEL:+81-(0)3-6661-1807

FAX:+81-(0)3-5651-3213

http :// www.enerjump.co.jp/

E-mail: info@enerjump.co.jp